

TENSE

Table of contents

Philosophy	4
Intensity	5
Supported systems	6 - 7
Alu	8 - 11
Bronze	12 - 13
Metal	14 - 15
Gold	16
Copper Rose	17
Glass	18 - 19
Corian®	20 - 21
Stone	22 - 23
Wood	24 - 25
Landscape	26 - 27
Invisible	28 - 29
Wallpaper	30
Paintable	31
Integrated	32 - 33
Infinity	34 - 35
Infinity 4 fold	36 - 37
Infinity 8 fold	38
Demonstration Tools	39
Motivity	40
Motivity Wall	41
Motivity Ceiling	42
Motivity Line	43
Motivity Plus	44 - 45
Socket frames	46 - 47
Integrated Socket frames	48 - 49
Invisible	50 - 51
Paintable Socket frames	52 - 53
Eyeswitch	54 - 55
Hotel switch	56
Customizations	57
Installation	58
Marketing tools	59
Trimless	60 - 61
Xillo	62 - 63
Order codes	64 - 71

The displayed images are for reference only.

Philosophy

XILLO
INNOVATIVE RECESSED SOLUTIONS

www.xillo.be

COMPANY

Tense is the Belgian designer and manufacturer of elegant design switches, room controllers with OLED display and motion detectors. Furthermore, we offer socket frames and iPad holders in the same materials that match our product line to create a uniform look in your interior. All Tense design products can be flush-mounted thanks to the unique Xillo fixtures. The products are KNX compatible or can operate on 12-24V DC. If you'd rather integrate your switches into your wall's finish; we do have a solution for that too: the Integrated range!



Tense combines more than 20 years of experience in home automation, electronics manufacturing and lighting. As being an ISO 9001 certified company, Tense always aims to exceed its customers' expectations of top quality, innovative R&D, unbeatable service, in-time delivery and professional export handling.

PRODUCTS

These high-quality products are stylish, easy to use, very reliable, designed with passion and were crowned by winning several design awards. Only the best technologies and premium raw materials are used to create our unique Tense products.

DESIGNED, MANUFACTURED & HANDMADE IN BELGIUM.



Intensity

The Intensity is a stern switch which beautifully combines **functionality** and **elegant design**. These switches are **capacitive-touch** based.

What kind of **finish** would you prefer? All of the following **materials** are available for the **Intensity**:

Metal Glass Corian® Stone Wood Composite

This makes the Intensity the **most wanted element** in any interior and is **user-friendly** due to the easy operation capabilities.

The Intensity is available with **1, 2, 4 or 8 touch zones**.





Supported systems

KNX INTEGRATION

Every KNX Intensity has four functions:

1. Touch:

- Every touch zone has a **double function** with both **short and long touch capability**.
- Touching at least two buttons at the same time activates the **multi-touch** which has both a short as a long multitouch function. For an Intensity with 4 touch zones, this adds up to 10 touch functions.

2. Temperature:


- Thermostat function through its built-in temperature sensor or by connecting an external KNX temperature sensor.

3. LED feedback:

- All switches have individual dimmable RGB LED feedback per touch zone, which can be customized according to your wishes via the ETS software of KNX.

4. Other functionalities:

- Dimming, blind control, shutter control, scene module, timers, basic logic functions, up/down counters.



EXTERNAL SYSTEM INTEGRATION

Potential Free Normal Open Contact - 12-24V DC


Every NOC Intensity has two functions:


1. Touch:

- The processing of the generated touch signals depends on the connected third party input module.
- **Multi-touch** output is supported without separate channel.

2. LED feedback:

- Switches have individual white LED feedback per touch zone, which is adjustable in 2 settings:
 - When untouched, 70% brightness from the white LED is shown.
 - When touched, the white LED will light up to 100% brightness.
- When untouched, no LED brightness is shown.
- When touched, the white LED will light up to 100% brightness.







Alu White
INTAW

Alu
INTA

Forged Alu
INTFA

Alu Dark Grey
INTADG

Forged Alu Dark Grey
INTFADG

Alu Black
INTAB

Forged Alu Black
INTFAB

Intensity alu

The modern design defines the Intensity aluminium range and fits in every contemporary interior. The Intensity Alu White is coated in RAL9016. These are all handmade products which makes every switch unique.



AVAILABLE IN
ANY
RAL COLOUR OF
YOUR CHOICE



Intensity alu ral

The colourful design defines the Intensity aluminium range and fits in every special interior.
The Intensity Alu RAL can be coated in any RAL colour.





Bronze Light
INTBL

Forged Bronze Light
INTFBL


Bronze
INTB

Forged Bronze
INTFB

Intensity bronze

The stylish bronze and bronze light finishes are achieved by a **long-established bronzing process of brass raw material**, which honours the **craftsmanship** that has existed for decades. Bronzing is an **artisanal process**, therefore colour variations may occur. These finishes are protected with a semi-matte varnish. These are all **handmade products** which makes every switch unique. Admire the deep living colour of the bronzed brass.





Intensity metal

These finishes induce an **extraordinary look and feel**. The chrome look has been obtained as the result of a craftsmanship process where stainless steel is polished. The Forged Steel finish gives an **old industrial and rough look** and is protected with a semi-matte varnish. These are all **handmade products** which makes every switch unique.



Forged Gold
INTFG

Brushed Gold
INTBG

Intensity gold

These finishes induce an extraordinary look and feel, your switches can either blend in or stand out.

These finishes are protected with a semi-matte varnish.

These are all handmade products which makes every switch unique.



Brushed Copper Rose
INTBCR

Forged Copper Rose
INTFCR

Intensity copper rose

Looking for an elegant and **trendy touch** in your interior? Then Copper Rose is definitely a must have. This stylish finish is an **eye-catcher** in any contemporary interior. These finishes are protected with a semi-matte varnish. These are all **handmade products** which makes every switch unique.





Silver
INTGS


Black
INTGB

White
INTGW

Intensity glass

The premium design glass front is coated with several layers of high-quality ink through silk screen printing. The available colours are: RAL7001 (silver), RAL9017 (black) or RAL9016 (white).





White
INTCW

Carrea White
INTCCAW

Linea White
INTCLIW

Organica White
INTCORW

Ronda White
INTCROW

Claudia White
INTCLLW

Black
INTCB

Intensity Corian®




Corian®, this maintenance friendly material is often used in kitchens and bathrooms.
The simplicity in the design of the Corian® White switch offers you a smooth and clean design look.
The refined colours of Corian® allow you to create a colourful, inspiring and custom made switch (INTCRAL...).





INTSEMM4
Stone Emperador Marron Marble



Intensity stone

These carefully selected natural stones are warm and classy elements to decorate your interior.

Depending on the stone type, some fronts are polished and other ones maintain the natural rough surface.

Stone is a natural material and therefore every switch is unique in colour and texture. Other stone types available on request, or make your own stone plate and glue it to our electronics.





Walnut
INTWWA

Wenge
INTWWE

Afrormosia
INTWAF

Padouk
INTWPA

Oak Pura Natura
INTWOPN

Oak Dark
INTWOD

Oak Cotton White
INTWOCW


Ash
INTWAS

Intensity wood


These classy wooden fronts represent **craftsmanship** and give a **natural look and feel** to your interior. Wood is a **natural product** and can vary in colour and pattern. Therefore, each of our wooden switches is unique. Other wood types on request.




AVAILABLE IN
ALL METAL
FINISHES



Alu Black 1 fold
INTLAB1



Alu Black 2 fold
INTLAB2



Alu Black 4 fold
INTLAB4

Intensity Landscape

The Intensity Landscape switch, specially designed for the Blue Lagoon Hotel***** in Iceland, consists of 1, 2 or 4 touch zones. This switch is available in **all kinds of metal** and is ideal for customizations such as **engraving, lasering or printing**. These are all **handmade products**, hence makes every switch unique.



INTINV4
Invisible

TRIM_SWITCHMCWINV124_P
Trimless Switch Metal Corian Wood Invisible 1, 2, 4F Plasterboard Wall

Plasterboard wall (12,5 mm)


TRIM_SWITCHMCMWINV124_P & INTINV4



Cut a 225 x 192 x 65 mm rectangular hole in the wall and install 2 wooden planks



Screw the fixture on the wooden planks by using 4 screws



Add fiberglass netting and plaster up to the rounded second level



Smoothen with a sanding machine




Paint the wall and the switch



COAT_SPRAY_COMP
 Spray a matte water-based varnish on the switch to protect it and make it cleanable

Brick/Concrete wall (6 mm)

TRIM_SWITCHMCMWINV124_BC & INTINV4



Drill a \varnothing 145 mm hole in the wall



Screw the fixture on the wall by using 4 plugs and screws

Intensity Invisible

This innovative recessed Invisible 4 fold switch with dimmeable RGB feedback in the corners is fast to install (glued or screwed via pre-drilled screw holes/large mounting surface to easily adjust) and easy to plaster thanks to the rounded second level in the Xillo fixture. The Invisible meets the highest finishing standards, is suitable for all surfaces and is available in 6 mm and 12,5 mm thickness.

For the Intensity Invisible switch, the Trimless wall box has to be ordered separately. As well suitable for cement paint application.



Intensity Wallpaper

INTWP4
Wallpaper

Do you like to blend in your switch on a wallpaper wall? This front is made of a special composite material and the sides can easily be painted in any colour, matching the wall or interior.

Wallpaper, wood veneer, leather, fish skin, cork, cement based paint and other materials of a thickness up to 0,5 mm can be applied in the cut-out.



INTP4
Paintable



Intensity Paintable

Do you like to subtly integrate your switch in your interior? Just paint the front and the switch is almost invisible. This front is made of a special composite material which can easily be painted in any colour and type of paint, matching the wall or interior. For protecting the switch, a matte water-based varnish can be sprayed over the paint (COAT_SPRAY_COMP).



12-24V
DC





TRIM_INTINT4_WG
Intensity With Gap - 0,5 mm gap

TRIM_INTINT4_NG
Intensity No Gap

TRIM_INTINVINT4_WG
Invisible - 3mm gap

Intensity Integrated

Tense can now provide you with the electronics and special wallbox to be placed behind a Corian®, Stone, Ceramic, MDF, Painted Glass, Terrazzo or Wooden wall.

This way a foolproof installation of any integrated switch is possible: with gap, no gap, invisible...

Furthermore, we can guide you with the instructions and dimensions regarding the cut-out on the back of those materials.

Do you have a wall in glass, mirror, textile or other special materials? Ask our specialists!



The Infinity is more than a capacitive touch based switch. It opens a box of possibilities on top of what the Intensity switch can do.

Thanks to its **smart OLED display**, functions are numerous and your switch becomes a complete **room controller**.

Would you like to control your audio? Check energy readings? Or do you like to have text feedback concerning, e.g. the thermostat function? The Infinity does it all.

On top of that, the **Infinity** comes in the same range of **materials** as all the other products in the Tense range:

Metal Glass Corian® (Wood) (Stone)

The Infinity combines the stern designer look whilst incorporating all the extra functionalities of a complete room controller. All these functions are set through the **ETS software** of KNX.

This switch is available with **4 or 8 touch zones**.

Every **KNX Infinity** has **three functions**:

1. Touch:

- Every touch zone has a double function with the **short and long touch capability**.
- By a **short multi-touch** you display the **extra information page**.
- By a **long multi-touch** you enter the **main menu** (e.g.: lights, shutters, blinds, curtains, multimedia, thermostat, motors ...) and you navigate the **main menu** by sliding the upper two buttons. You navigate the **sub menu** by horizontally sliding the lower two buttons.

2. Temperature:

- Thermostat function through its **built-in temperature sensor** or by connecting an **external KNX temperature sensor**.

3. LED feedback:

- All switches have individual dimmable RGB LED feedback per touch zone which can be customized regarding to your wishes.

Infinity



AVAILABLE IN
METAL
GLASS
CORIAN®
(WOOD)
(STONE)



Alu
INFA

Bronze
INFB

Alu Black
INFAB

Alu Dark Grey
INFADG

Infinity 4 fold

Room controller with 4 direct touch buttons and a menu to control your light settings, blinds, shutters, thermostat, audio ...

These are all handmade products hence every room controller is unique in colour and texture.

AVAILABLE IN
METAL
CORIAN®



Infinity 8 fold

INFA8
Alu

Room controllers with 8 direct touchbuttons are available in metal and Corian®.

The OLED display enables you to **visualize** the different functions of your system, e.g., light settings, blinds, shutters, thermostat, audio ...

These are all **handmade products**. Hence every room controller is unique in colour and texture.



Demonstration tools

Would you like to see, feel and experience the high quality materials of the Tense products?

Select a non-functioning sample with 4 touch buttons in the same finish (DEM_INT..4). Or choose one of our predefined faceplates (DEM_INTMIX..).

These are all excellent sales tools to show all the available Tense finishes.

We proudly present our elegant and refined Motivity range.
You can integrate these **motion detectors** discretely in your interior or use them to make a design statement.

Every KNX Motivity has **four functions**:

1. Motion detection:

- Up to **4 different output actions** are available, which can be activated independently under certain conditions (e.g. day/night):
 - Switching
 - Dimming
 - Recalling scenes
 - Sending 1 or 2 byte unsigned values

All these output actions are possible with a **programmable switch-off delay** and can also be **brightness dependent**.

A **blocking object functionality** and **ventilation control** are available as well.

Master/Slave Mode is possible.

2. Brightness detection:

- Both the Motivity Ceiling White, Motivity Line White and Motivity Plus White are equipped with a brightness sensor.

3. Temperature:

- Every Motivity has an internal temperature sensor and a **thermostat function**.

4. Other functions:

- Timers
- Scene module
- Basic logic functions
- Up/down counters

Motivity

AVAILABLE IN
METAL
GLASS
CORIAN®
STONE
WOOD



KNX_MOTGB



KNX_MOTGW


DISTANCE FROM OBJECT (m)	MINIMUM DETECTION Ø (m)
0,50	0,86
1,00	1,74
1,50	2,60
2,00	3,48
2,50	4,34
3,00	5,22
3,50	6,08
4,00	6,77
4,50	8,72

360° view, 82° minimal angle

Motivity Wall

The Motivity Wall is an elegant solution for installing a motion detector in a wall and for who likes to have the same materials as the switches.
This motion detector has a built-in temperature sensor.

INSTALLATION HEIGHT (m)	ELECTICAL AXIS X Ø (m)	ELECTICAL AXIS Y Ø (m)
1	3,08	2,30
2	6,16	4,70
3	9,24	6,90
4	12,32	9,20
5	15,40	11,50
6	16,00	13,80
7	14,30	14,30
8	12,00	12,00
9	8,70	8,70



360° view, 93° minimal angle

Motivity Ceiling


This motion detector is one of the smallest detectors in the world with a diameter of only 17,4 mm. The black/white plastic rosette can be cut off for a minimalistic end result. The KNX Motivity Ceiling Black (KNX_MOTIB) contains a motion detector and a temperature sensor, while the Motivity Ceiling White (KNX_MOTIW) also has the ability to monitor brightness. The 12V DC motion detector exists in white (NOC_MOTIW) and black (NOC_MOTIB) and only supports motion detecting.

MOTIW
Motivity Ceiling White



INSTALLATION HEIGHT (m)	ELEPTICAL AXIS X Ø (m)	ELEPTICAL AXIS Y Ø (m)
1	3,20	0,45
2	6,40	0,90
3	8,00	1,30
4	6,00	1,80
4,80	2,60	2,15

35° view, 150° minimal angle



Motivity Line

MOTLIW
Motivity Line White

This motion detector is the smallest line detector in the world. The black/white plastic rosette can be cut off for a minimalistic end result.

With its narrow detection zone an ideal choice for hallways, staircases, dressings, alongside the bed... The KNX Motivity Line Black (KNX_MOTLIB) contains a motion detector and a temperature sensor, while the Motivity Line White (KNX_MOTLIW) as well has the ability to monitor brightness. The 12V DC motion detector exists also in white (NOC_MOTIW) and black (NOC_MOTIB) and only supports motion detecting.





ACCESSORIES



TRIM_MOTPLUS
Wallbox for recessed mounting



MOTPLUS_ANGLE
Bracket for 45° angled mounting

AVAILABLE IN
100% RECESSED

INSTALLATION HEIGHT (m)	ELEPTICAL AXIS X Ø (m)	ELEPTICAL AXIS Y Ø (m)
1	2,50	2,10
2	5,00	4,20
3	7,50	6,30
4	10,00	8,40
5	12,50	10,50
6	15,00	12,60
7	17,50	14,70
8	17,90	16,70
9	15,90	15,90
10	13,30	13,30
11	9,60	9,60

360° view, 92° minimal angle


Motivity Plus

MOTPLUS_W
Motivity Plus White


The surface-mount detector for in- and outdoor use has a very elegant design, has no visible lens, is weatherproof (IP52) and is very subtle thanks to its 73 x 30 mm dimensions. The white Motivity Plus (KNX_MOTPLUS_W) has a built-in brightness and temperature sensor on top of its motion detecting capabilities, where the black Motivity Plus (KNX_MOTPLUS_B) supports motion and temperature sensing. The 12V DC motion detector exists in white (NOC_MOTPLUS_W) and black (NOC_MOTPLUS_B) and only supports motion detection.



ACCESSORIES



BCU_EBSS02
Wallbox for placing switch and socket aligned




BCU_EBSM02
Wallbox for placing switch and motivity wall aligned



BCU_EBSS03
Wallbox for placing switch and 2F socket aligned


TRIM_SOCK6MMMCW1_BC
Bronze
SOCK6MMRB1
Bronze



SQUARE 12mm
 55x55 insert Jung, Berker, Gira, ...
 All finishes
 Glass, Stone and Wooden 4F & 5F frames available on request.




schuko be/fr 1x.rj45 usb.a/c coax 2x.rj45 uk



SQUARE 6mm
 45x45 insert Legrand Arteor/Mosaic/Valena Next & Peha Concept 45
 All metals



schuko be/fr 1x.rj45 usb.a/c coax 2x.rj45 uk



ROUND 6mm
 45x45 insert Legrand Arteor/Mosaic/Valena Next & Peha Concept 45
 All metals
 Not for British Standard insert nor double RJ45




schuko be/fr 1x.rj45 usb.a/c coax 2x.rj45 uk


Socket frames

Use single German Standard or single British Standard wall boxes for all our different types of socket plates. Try out the wallboxes in combination with our socket frames before you start the installation.

Distance between the center points is 71 mm.

Inserts not included.





TRIM SOCKINT_WG
 Integrated With Gap - 1,25 mm gap



TRIM SOCKINT_NG
 Integrated No Gap



TRIM SOCKRJ45INT_WG
 Integrated With Gap - 1,25 mm gap

Socket Integrated

Tense can now provide you with **special wallboxes** to be placed behind Painted Glass, Corian®, Stone, Ceramic, Terrazzo or Wooden wall to create fully integrated sockets.

This way a foolproof installation of any integrated socket is possible: with gap or without gap.


Furthermore, we can guide you with the instructions and dimensions regarding the cut-out at the backside of these materials.




Plasterboard wall (12,5 mm)



Cut a hole in the wall and install 2 wooden planks (dimensions: see technical data sheet)



Screw the fixture on the wooden planks by using 4 screws



Add fiberglass netting and plaster up to the rounded second level




Smoothen with a sanding machine



TRIM_SOCKETINV1
 55x55 insert Jung, Berker, Gira, ...
 45x45 insert Niko (with special adapter)



Brick/Concrete wall (6 mm)



Drill a hole in the wall (dimensions: see technical data sheet)



Screw the fixture on the wall by using 4 plugs and screws

Invisible Socket

This innovative recessed Invisible Socket is fast to install (glued or screwed via pre-drilled screw holes/large mounting surface to easily adjust) and easy to plaster thanks to the rounded second level in the Xillo fixture. The Invisible Socket meets the highest finishing standards, is suitable for all surfaces, is available in 6 mm and 12,5 mm thickness, and is available in a single and double version.




Plasterboard wall (12,5 mm)



Cut a hole in the wall and install 2 wooden planks (dimensions: see technical data sheet)



Screw the fixture on the wooden planks by using 4 screws



Add fiberglass netting and plaster up to the rounded second level



Smoothen with a sanding machine




SOCK6MMRP1
 TRIM SOCK6MMMCW1



SOCK6MMSP1
 TRIM SOCK6MMMCW1


Paint the wall and the switch.
 Spray a matte water-based varnish on the socket to protect it and make it cleanable

45x45 insert Peha Concept 45 & Legrand Arteor/Mosaic/Valena Next



schuko be/fr 1x.rj45 usb a/c coax 2x.rj45 uk ...

Brick/Concrete wall (6 mm)



Drill a hole in the wall (dimensions: see technical data sheet)



Screw the fixture on the wall by using 4 plugs and screws

Paintable Socket

The Paintable Socket meets the highest finishing standards, and are suitable for all types of paints. The Paintable Socket is available with a round or a square opening, surely matching the project. The Trimless wall box needs to be ordered separately. The wall box is both easy to install (glued or screwed via pre-drilled screw holes/large mounting surface to easily adjust) as well as easy to plaster thanks to the rounded second level in the Xillo fixture. The wall box is available in 6mm and 12,5mm thickness.




NEW

USB-C



Install the included double wall box without separation vertically on the wall and fix the Eyeswitch Intensity into place.



Slide the supporting bracket into place and adjust the height of the connector accordingly to the iPad type.



Mount the iPad by sliding and clicking it into the connector.



The iPad is now ready to use in your home automation.

Eyeswitch

This handy universal iPad mount (EYE_INT...) with integrated charger (PSU_EYE100VAC240VAC) is combined with an 8 fold Intensity switch. You can adjust the height of the connector for your iPad. In a few seconds, your iPad becomes wall-mounted. Thanks to the Intensity switch, you can directly operate your home automation, even when the iPad is not present. If necessary, it is very easy to demount the iPad and supporting bracket while maintaining a sleek designer look thanks to the Intensity 8 fold switch. This product is available with a USB-C or Lightning connector in all metal finishes.




Hotelswitch

The Intensity switch, specially designed as a hotel solution, contains four touch zones. Each of the 4 logos on the switch act as a touch zone with each logo being a RGB LED light.

This switch is available in Glass White and Glass Black. These finishes are printed and do not use the silk screen technique as our other glass products. Slight colour variations may occur in comparison with our other glass products.

Logo's, numbers and symbols can be personalised through the **printing process**. The room number in the center does not highlight. No cardreader included.



Customizations

Would you like to personalize your products permanently with inscriptions, logos and/or symbols?

All Tense finishes are suitable for lasering, engraving and/or printing.

Special request? Looking for a unique piece? Tense is able to **customize your products or ideas** in order to obtain a uniform look throughout your project.



12-24V
DC



Installation & Maintenance

Tense products can be installed in a single round or square European Standard or British Standard wall mounting box. Use flat headed screws to fix the BCU to the wall.
For the 8 fold Intensity switch, 8 fold Infinity room controller and the 4 fold Intensity Landscape, only one single wall box is needed.
All Tense switches are to be cleaned with non-aggressive, non solvent based cleaners.

Marketing Case




Marketing Box



Marketing tools

Marketing Case Premium (MAR_CASE_PREM): this case can be connected to the mains or to your KNX system and enables your customer/architect to touch, feel and experience 6 functioning KNX Intensity switches and 1 KNX Infinity switch. Furthermore, the demo case contains a sample of nearly all Tense products, versions and materials.

Marketing Box (MAR_BOX): this handy box contains the standard material range in 23 handy demo plates of 42*42mm and one demo plate of 84*84mm.




INTAW4
Alu White

TRIM_SWITCHMCWINV124_P
Trimless switch Metal Corian Wood Invisible, 1, 2, 4F Plasterboard Wall


Plasterboard wall (12,5 mm)



Cut a hole in the wall and install 2 wooden planks (dimensions: see technical data sheet)



Screw the fixture on the wooden planks by using 4 screws



Add fibreglass netting and plaster up to the rounded second level




Smoothen with a sanding machine




Paint the wall

Brick/Concrete wall (6 mm)



Drill a hole in the wall (dimensions: see technical data sheet)



Screw the fixture on the wall by using 4 plugs and screws

Trimless 100% recessed

Almost all Tense products can be flush-mounted in the strong, plasterable and paintable Xillo composite fixture.

This innovative recessed solution is fast to install and easy to plaster thanks to the handy indicators and layer design on the fixture.

Xillo meets the highest finishing standards and is suitable for all surfaces (plasterboard - 12,5 mm and brick/concrete - 6 mm) which creates a recessed look in every project.




Recessed Ventilation



Recessed Toilet Flush Button



Recessed Smoke detector




Adjustable lighting

XILLO

INNOVATIVE RECESSED SOLUTIONS

www.xillo.be




Recessed lighting



Trimless LED Profiles



Recessed Intrusion detector



Recessed Audio

KNX: KNX_CODE
12-24V DC: NOC_CODE
DEMO: DEM_CODE
FRONT: FRO_CODE

ALU	FORGED ALU	ALU BLACK	FORGED ALU BLACK	ALU DARK GREY	FORGED ALU DARK GREY	ALU WHITE	ALU RAL SPECIAL	DIMENSIONS (mm)
-----	------------	-----------	------------------	---------------	----------------------	-----------	-----------------	-----------------

INTENSITY switch										
	1F	INTA1	INTFA1	INTAB1	INTFAB1	INTADG1	INTFADG1	INTAW1	INTARAL1	84 x 84 x 6
	2F	INTA2	INTFA2	INTAB2	INTFAB2	INTADG2	INTFADG2	INTAW2	INTARAL2	84 x 84 x 6
	4F	INTA4	INTFA4	INTAB4	INTFAB4	INTADG4	INTFADG4	INTAW4	INTARAL4	84 x 84 x 6
	8F	INTA8	INTFA8	INTAB8	INTFAB8	INTADG8	INTFADG8	INTAW8	INTARAL8	165 x 84 x 6
	1F	INTLA1	INTLFA1	INTLAB1	INTLFAB1	INTLADG1	INTLFADG1	INTLAW1	INTLARAL1	84 x 84 x 6
	2F	INTLA2	INTLFA2	INTLAB2	INTLFAB2	INTLADG2	INTLFADG2	INTLAW2	INTLARAL2	84 x 84 x 6
	4F	INTLA4	INTLFA4	INTLAB4	INTLFAB4	INTLADG4	INTLFADG4	INTLAW4	INTLARAL4	165 x 84 x 6
INFINITY room controller (KNX only)										
	OLED 4F	INFA4	INFFA4	INFAB4	INFFAB4	INFADG4	INFFADG4	INFAW4	INFARAL4	84 x 84 x 9
	OLED 8F	INFAB8	INFFAB8	INFAB8	INFFAB8	INFADG8	INFFADG8	INFAW8	INFARAL8	165 x 84 x 9
SOCKET frame 12mm										
	1F	SOCKA1	SOCKFA1	SOCKAB1	SOCKFAB1	SOCKADG1	SOCKFADG1	SOCKAW1	SOCKARAL1	84 x 84 x 12
	2F	SOCKA2	SOCKFA2	SOCKAB2	SOCKFAB2	SOCKADG2	SOCKFADG2	SOCKAW2	SOCKARAL2	155 x 84 x 12
	3F	SOCKA3	SOCKFA3	SOCKAB3	SOCKFAB3	SOCKADG3	SOCKFADG3	SOCKAW3	SOCKARAL3	226 x 84 x 12
	4F	SOCKA4	SOCKFA4	SOCKAB4	SOCKFAB4	SOCKADG4	SOCKFADG4	SOCKAW4	SOCKARAL4	297 x 84 x 12
	5F	SOCKA5	SOCKFA5	SOCKAB5	SOCKFAB5	SOCKADG5	SOCKFADG5	SOCKAW5	SOCKARAL5	368 x 84 x 12
SOCKET frame 6mm round										
	1F	SOCK6MMRA1	SOCK6MMRFA1	SOCK6MMRAB1	SOCK6MMRFAB1	SOCK6MMRADG1	SOCK6MMRFADG1	SOCK6MMRAW1	SOCK6MMRRARAL1	84 x 84 x 6
	2F	SOCK6MMRA2	SOCK6MMRFA2	SOCK6MMRAB2	SOCK6MMRFAB2	SOCK6MMRADG2	SOCK6MMRFADG2	SOCK6MMRAW2	SOCK6MMRRARAL2	155 x 84 x 6
	3F	SOCK6MMRA3	SOCK6MMRFA3	SOCK6MMRAB3	SOCK6MMRFAB3	SOCK6MMRADG3	SOCK6MMRFADG3	SOCK6MMRAW3	SOCK6MMRRARAL3	226 x 84 x 6
	4F	SOCK6MMRA4	SOCK6MMRFA4	SOCK6MMRAB4	SOCK6MMRFAB4	SOCK6MMRADG4	SOCK6MMRFADG4	SOCK6MMRAW4	SOCK6MMRRARAL4	297 x 84 x 6
	5F	SOCK6MMRA5	SOCK6MMRFA5	SOCK6MMRAB5	SOCK6MMRFAB5	SOCK6MMRADG5	SOCK6MMRFADG5	SOCK6MMRAW5	SOCK6MMRRARAL5	368 x 84 x 6
SOCKET frame 6mm square										
	1F	SOCK6MMSA1	SOCK6MMSFA1	SOCK6MMSAB1	SOCK6MMSFAB1	SOCK6MMSADG1	SOCK6MMSFADG1	SOCK6MMSAW1	SOCK6MMSARAL1	84 x 84 x 6
	2F	SOCK6MMSA2	SOCK6MMSFA2	SOCK6MMSAB2	SOCK6MMSFAB2	SOCK6MMSADG2	SOCK6MMSFADG2	SOCK6MMSAW2	SOCK6MMSARAL2	155 x 84 x 6
	3F	SOCK6MMSA3	SOCK6MMSFA3	SOCK6MMSAB3	SOCK6MMSFAB3	SOCK6MMSADG3	SOCK6MMSFADG3	SOCK6MMSAW3	SOCK6MMSARAL3	226 x 84 x 6
	4F	SOCK6MMSA4	SOCK6MMSFA4	SOCK6MMSAB4	SOCK6MMSFAB4	SOCK6MMSADG4	SOCK6MMSFADG4	SOCK6MMSAW4	SOCK6MMSARAL4	297 x 84 x 6
	5F	SOCK6MMSA5	SOCK6MMSFA5	SOCK6MMSAB5	SOCK6MMSFAB5	SOCK6MMSADG5	SOCK6MMSFADG5	SOCK6MMSAW5	SOCK6MMSARAL5	368 x 84 x 6
MOTIVITY WALL detector		MOTA	MOTFA	MOTAB	MOTFAB	MOTADG	MOTFADG	MOTAW	MOTARAL	84 x 84 x 6
EYESWITCH LIGHTNING*		EYEINTAB_L	EYEINTFA8_L	EYEINTAB8_L	EYEINTFAB8_L	EYEINTADG8_L	EYEINTFADG8_L	EYEINTAW8_L	EYEINTARAL8_L	182 x 320 x 14
EYESWITCH USB-C*		EYEINTAB_C	EYEINTFA8_C	EYEINTAB8_C	EYEINTFAB8_C	EYEINTADG8_C	EYEINTFADG8_C	EYEINTAW8_C	EYEINTARAL8_C	182 x 320 x 14

* Power supply (PSU_EYE100VAC240VAC) and optional LAN connection kit (EYE_LAN_KIT) have to be ordered separately.
** Power supply (PSU_EYE100VAC240VAC) is included in the product. LAN connection kit (EYE_LAN_KIT) is not available.

KNX: KNX_CODE
12-24V DC NOC_CODE
DEMO: DEM_CODE
FRONT: FRO_CODE

		BRONZE	FORGED BRONZE	BRONZE LIGHT	FORGED BRONZE LIGHT	BRUSHED GOLD	FORGED GOLD	BRUSHED COPPER ROSE	FORGED COPPER ROSE	CHROME	STAINLESS STEEL	FORGED STAINLESS STEEL	FORGED STEEL	DIMENSIONS (mm)
INTENSITY switch														
	1F	INTB1	INTFB1	INTBL1	INTFBL1	INTBG1	INTFG1	INTBCR1	INTFCR1	INTCH1	INTSS1	INTFSS1	INTFS1	84 x 84 x 6
	2F	INTB2	INTFB2	INTBL2	INTFBL2	INTBG2	INTFG2	INTBCR2	INTFCR2	INTCH2	INTSS2	INTFSS2	INTFS2	84 x 84 x 6
	4F	INTB4	INTFB4	INTBL4	INTFBL4	INTBG4	INTFG4	INTBCR4	INTFCR4	INTCH4	INTSS4	INTFSS4	INTFS4	84 x 84 x 6
	8F	INTB8	INTFB8	INTBL8	INTFBL8	INTBG8	INTFG8	INTBCR8	INTFCR8	INTCH8	INTSS8	INTFSS8	INTFS8	165 x 84 x 6
	1F	INTLB1	INTLFB1	INTLBL1	INTLFBL1	INTLBG1	INTLFG1	INTLBCR1	INTLFCR1	INTLCH1	INTLSS1	INTLFSS1	INTLFS1	84 x 84 x 6
	2F	INTLB2	INTLFB2	INTLBL2	INTLFBL2	INTLBG2	INTLFG2	INTLBCR2	INTLFCR2	INTLCH2	INTLSS2	INTLFSS2	INTLFS2	84 x 84 x 6
	4F	INTLB4	INTLFB4	INTLBL4	INTLFBL4	INTLBG4	INTLFG4	INTLBCR4	INTLFCR4	INTLCH4	INTLSS4	INTLFSS4	INTLFS4	165 x 84 x 6
INFINITY room controller (KNX only)														
	OLED 4F	INFB4	INFFB4	INFBL4	INFFBL4	INFBG4	INFFG4	INFBCR4	INFFCR4	INFCH4	INFSS4	INFFSS4	INFFS4	84 x 84 x 9
	OLED 8F	INFB8	INFFB8	INFBL8	INFFBL8	INFBG8	INFFG8	INFBCR8	INFFCR8	INFCH8	INFSS8	INFFSS8	INFFS8	165 x 84 x 9
SOCKET frame 12mm														
	1F	SOCKB1	SOCKFB1	SOCKBL1	SOCKFBL1	SOCKBG1	SOCKFG1	SOCKBCR1	SOCKFCR1	SOCKCH1	SOCKSS1	SOCKFSS1	SOCKFS1	84 x 84 x 12
	2F	SOCKB2	SOCKFB2	SOCKBL2	SOCKFBL2	SOCKBG2	SOCKFG2	SOCKBCR2	SOCKFCR2	SOCKCH2	SOCKSS2	SOCKFSS2	SOCKFS2	155 x 84 x 12
	3F	SOCKB3	SOCKFB3	SOCKBL3	SOCKFBL3	SOCKBG3	SOCKFG3	SOCKBCR3	SOCKFCR3	SOCKCH3	SOCKSS3	SOCKFSS3	SOCKFS3	226 x 84 x 12
	4F	SOCKB4	SOCKFB4	SOCKBL4	SOCKFBL4	SOCKBG4	SOCKFG4	SOCKBCR4	SOCKFCR4	SOCKCH4	SOCKSS4	SOCKFSS4	SOCKFS4	297 x 84 x 12
	5F	SOCKB5	SOCKFB5	SOCKBL5	SOCKFBL5	SOCKBG5	SOCKFG5	SOCKBCR5	SOCKFCR5	SOCKCH5	SOCKSS5	SOCKFSS5	SOCKFS5	368 x 84 x 12
SOCKET frame 6mm round														
	1F	SOCK6MMRB1	SOCK6MMRFB1	SOCK6MMRBL1	SOCK6MMRFBL1	SOCK6MMRBG1	SOCK6MMRFG1	SOCK6MMRBCR1	SOCK6MMRFCR1	SOCK6MMRCH1	SOCK6MMRSS1	SOCK6MMRFSS1	SOCK6MMRFS1	84 x 84 x 6
	2F	SOCK6MMRB2	SOCK6MMRFB2	SOCK6MMRBL2	SOCK6MMRFBL2	SOCK6MMRBG2	SOCK6MMRFG2	SOCK6MMRBCR2	SOCK6MMRFCR2	SOCK6MMRCH2	SOCK6MMRSS2	SOCK6MMRFSS2	SOCK6MMRFS2	155 x 84 x 6
	3F	SOCK6MMRB3	SOCK6MMRFB3	SOCK6MMRBL3	SOCK6MMRFBL3	SOCK6MMRBG3	SOCK6MMRFG3	SOCK6MMRBCR3	SOCK6MMRFCR3	SOCK6MMRCH3	SOCK6MMRSS3	SOCK6MMRFSS3	SOCK6MMRFS3	226 x 84 x 6
	4F	SOCK6MMRB4	SOCK6MMRFB4	SOCK6MMRBL4	SOCK6MMRFBL4	SOCK6MMRBG4	SOCK6MMRFG4	SOCK6MMRBCR4	SOCK6MMRFCR4	SOCK6MMRCH4	SOCK6MMRSS4	SOCK6MMRFSS4	SOCK6MMRFS4	297 x 84 x 6
	5F	SOCK6MMRB5	SOCK6MMRFB5	SOCK6MMRBL5	SOCK6MMRFBL5	SOCK6MMRBG5	SOCK6MMRFG5	SOCK6MMRBCR5	SOCK6MMRFCR5	SOCK6MMRCH5	SOCK6MMRSS5	SOCK6MMRFSS5	SOCK6MMRFS5	368 x 84 x 6
SOCKET frame 6mm square														
	1F	SOCK6MMSB1	SOCK6MMSFB1	SOCK6MMSBL1	SOCK6MMSFBL1	SOCK6MMSBG1	SOCK6MMSFG1	SOCK6MMSBCR1	SOCK6MMSFCR1	SOCK6MMSCH1	SOCK6MMSRSS1	SOCK6MMSFSS1	SOCK6MMSFS1	84 x 84 x 6
	2F	SOCK6MMSB2	SOCK6MMSFB2	SOCK6MMSBL2	SOCK6MMSFBL2	SOCK6MMSBG2	SOCK6MMSFG2	SOCK6MMSBCR2	SOCK6MMSFCR2	SOCK6MMSCH2	SOCK6MMSRSS2	SOCK6MMSFSS2	SOCK6MMSFS2	155 x 84 x 6
	3F	SOCK6MMSB3	SOCK6MMSFB3	SOCK6MMSBL3	SOCK6MMSFBL3	SOCK6MMSBG3	SOCK6MMSFG3	SOCK6MMSBCR3	SOCK6MMSFCR3	SOCK6MMSCH3	SOCK6MMSRSS3	SOCK6MMSFSS3	SOCK6MMSFS3	226 x 84 x 6
	4F	SOCK6MMSB4	SOCK6MMSFB4	SOCK6MMSBL4	SOCK6MMSFBL4	SOCK6MMSBG4	SOCK6MMSFG4	SOCK6MMSBCR4	SOCK6MMSFCR4	SOCK6MMSCH4	SOCK6MMSRSS4	SOCK6MMSFSS4	SOCK6MMSFS4	297 x 84 x 6
	5F	SOCK6MMSB5	SOCK6MMSFB5	SOCK6MMSBL5	SOCK6MMSFBL5	SOCK6MMSBG5	SOCK6MMSFG5	SOCK6MMSBCR5	SOCK6MMSFCR5	SOCK6MMSCH5	SOCK6MMSRSS5	SOCK6MMSFSS5	SOCK6MMSFS5	368 x 84 x 6
MOTIVITY WALL detector														
		MOTB	MOTFB	MOTBL	MOTFBL	MOTBG	MOTFG	MOTBCR	MOTFCR	MOTCH	MOTSS	MOTFSS	MOTFS	84 x 84 x 6
EYESWITCH LIGHTNING*														
		EYEINTB8_L	EYEINTFB8_L	EYEINTBL8_L	EYEINTFBL8_L	EYEINTBG8_L	EYEINTFG8_L	EYEINTBCR8_L	EYEINTFCR8_L	EYEINTCH8_L	EYEINTSS8_L	EYEINTFSS8_L	EYEINTFS8_L	182 x 320 x 14
EYESWITCH USB-C**														
		EYEINTB8_C	EYEINTFB8_C	EYEINTBL8_C	EYEINTFBL8_C	EYEINTBG8_C	EYEINTFG8_C	EYEINTBCR8_C	EYEINTFCR8_C	EYEINTCH8_C	EYEINTSS8_C	EYEINTFSS8_C	EYEINTFS8_C	182 x 320 x 14

* Power supply (PSU_EYE100VAC240VAC) and optional LAN connection kit (EYE_LAN_KIT) have to be ordered separately.
** Power supply (PSU_EYE100VAC240VAC) is included in the product. LAN connection kit (EYE_LAN_KIT) is not available.

KNX: KNX_CODE
 12-24V DC NOC_CODE
 DEMO DEM_CODE
 FRONT: FRO_CODE

GLASS WHITE	GLASS BLACK	GLASS SILVER	DIMENSIONS (mm)
-------------	-------------	--------------	-----------------

CORIAN® WHITE	CORIAN® BLACK	CORIAN® CARREA WHITE	CORIAN® LINEA WHITE	CORIAN® ORGANICA WHITE	CORIAN® RONDA WHITE	CORIAN® CLAUDA WHITE	CORIAN® RAL	DIMENSIONS (mm)
---------------	---------------	----------------------	---------------------	------------------------	---------------------	----------------------	-------------	-----------------

INTENSITY switch

Icon	Code	GLASS WHITE	GLASS BLACK	GLASS SILVER	DIMENSIONS (mm)
	1F	INTGW1	INTGB1	INTGS1*	90 x 90 x 8
	2F	INTGW2	INTGB2	X	90 x 90 x 8
	4F	INTGW4	INTGB4	INTGS4*	90 x 90 x 8
	8F	INTGW8	INTGB8	INTGS8*	160 x 90 x 8
	1F	X	X	X	X
	2F	X	X	X	X
	4F	X	X	X	X
	HOTEL	INTHW4	INTHGB4	X	90 x 90 x 13,5

CORIAN® WHITE	CORIAN® BLACK	CORIAN® CARREA WHITE	CORIAN® LINEA WHITE	CORIAN® ORGANICA WHITE	CORIAN® RONDA WHITE	CORIAN® CLAUDA WHITE	CORIAN® RAL	DIMENSIONS (mm)
INTCW1	INTCB1	X	X	X	X	X	INTCRAL1	84 x 84 x 6
INTCW2	INTCB2	X	X	X	X	X	INTCRAL2	84 x 84 x 6
INTCW4	INTCB4	INTCCAW4	INTCLIW4	INTCORW4	INTCROW4	INTCCLW4	INTCRAL4	84 x 84 x 6
INTCW8	INTCB8	X	X	X	X	X	INTCRAL8	165 x 84 x 6
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

INFINITY room controller (KNX only)

Icon	Code	GLASS WHITE	GLASS BLACK	GLASS SILVER	DIMENSIONS (mm)
	OLED 4F	INFGW4	INFGB4	X	90 x 90 x 10
	OLED 8F	X	X	X	X

CORIAN® WHITE	CORIAN® BLACK	CORIAN® CARREA WHITE	CORIAN® LINEA WHITE	CORIAN® ORGANICA WHITE	CORIAN® RONDA WHITE	CORIAN® CLAUDA WHITE	CORIAN® RAL	DIMENSIONS (mm)
INFCW4	INFCB4	X	X	X	X	X	INFCRAL4	84 x 84 x 9
INFCW8	INFCB8	X	X	X	X	X	INFCRAL8	165 x 84 x 9

SOCKET frame 12mm

Icon	Code	GLASS WHITE	GLASS BLACK	GLASS SILVER	DIMENSIONS (mm)
	1F	SOCKGW1	SOCKGB1	X	90 x 90 x 10,5
	2F	SOCKGW2	SOCKGB2	SOCKGS2*	161 x 90 x 10,5
	3F	SOCKGW3	SOCKGB3	SOCKGS3*	232 x 90 x 10,5
	4F	On request	On request	X	303 x 90 x 10,5
	5F	X	X	X	X

CORIAN® WHITE	CORIAN® BLACK	CORIAN® CARREA WHITE	CORIAN® LINEA WHITE	CORIAN® ORGANICA WHITE	CORIAN® RONDA WHITE	CORIAN® CLAUDA WHITE	CORIAN® RAL	DIMENSIONS (mm)
SOCKCW1	SOCKCB1	X	X	X	X	X	SOCKRAL1	84 x 84 x 12
SOCKCW2	SOCKCB2	X	X	X	X	X	SOCKRAL2	155 x 84 x 12
SOCKCW3	SOCKCB3	X	X	X	X	X	SOCKRAL3	226 x 84 x 12
SOCKCW4	SOCKCB4	X	X	X	X	X	SOCKRAL4	297 x 84 x 12
SOCKCW5	SOCKCB5	X	X	X	X	X	SOCKRAL5	368 x 84 x 12

MOTIVITY WALL detector

Code	GLASS WHITE	GLASS BLACK	GLASS SILVER	DIMENSIONS (mm)
MOTGW	MOTGB	X	90 x 90 x 8	

CORIAN® WHITE	CORIAN® BLACK	CORIAN® CARREA WHITE	CORIAN® LINEA WHITE	CORIAN® ORGANICA WHITE	CORIAN® RONDA WHITE	CORIAN® CLAUDA WHITE	CORIAN® RAL	DIMENSIONS (mm)
MOTCW	MOTCB	X	X	X	X	X	MOTCRAL	84 x 84 x 6

* Till stock is finished

KNX: KNX_CODE
 12-24V DC: NOC_CODE
 DEMO: DEM_CODE
 FRONT: FRO_CODE

STONE BELGIAN BLUE	STONE FRENCH WHITE	STONE CARRARA BIANCO MARBLE	STONE CEPPO DI GRES LIMESTONE	STONE CALACATTA MARBLE	STONE EMPERA- DOR GREY MARBLE	STONE EMPERADOR MARRON MARBLE	STONE OAK WHITE MARBLE	DIMENSIONS (mm)
--------------------------	--------------------------	--------------------------------------	----------------------------------------	------------------------------	----------------------------------------	----------------------------------------	------------------------------	--------------------

WOOD AFRORMO- SIA	WOOD ASH	WOOD OAK COTTON WHITE	WOOD OAK DARK	WOOD OAK PURA NATURA	WOOD PADOUK	WOOD WALNUT	WOOD WENGE	DIMENSIONS (mm)
-------------------------	-------------	-----------------------------	------------------	----------------------------	----------------	----------------	---------------	--------------------

INTENSITY switch

	1F	X	X	X	X	X	X	X	X	X
	2F	X	X	X	X	X	X	X	X	X
	4F	INTSBB4	INTSFW4	INTSCBM4	INTSCDGL4	INTSCM4	INTSEGM4	INTSEMM4	INTSOWM4	90 x 90 x 8
	8F	On request	X							
	1F	X	X	X	X	X	X	X	X	X
	2F	X	X	X	X	X	X	X	X	X
	4F	X	X	X	X	X	X	X	X	X

X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
INTWAF4	INTWAS4	INTWOCW4	INTWOD4	INTWOPN4	INTWPA4	INTWWA4	INTWWE4	90 x 90 x 8
On request	X							
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

INFINITY room controller (KNX only)

	OLED 4F	On request	X							
	OLED 8F	X	X	X	X	X	X	X	X	X

On request	X								
On request	X								

SOCKET frame 12mm

	1F	SOCKSBB1	SOCKSFW1	SOCKSCBM1	SOCKSCDGL1	SOCKSCM1	SOCKSEGM1	SOCKSEMM1	SOCKSOWM1	90 x 90 x 10,5
	2F	SOCKSBB2	SOCKSFW2	SOCKSCBM2	SOCKSCDGL2	SOCKSCM2	SOCKSEGM2	SOCKSEMM2	SOCKSOWM2	161 x 90 x 10,5
	3F	SOCKSBB3	SOCKSFW3	SOCKSCBM3	SOCKSCDGL3	SOCKSCM3	SOCKSEGM3	SOCKSEMM3	SOCKSOWM3	232 x 90 x 10,5
	4F	On request	X							
	5F	X	X	X	X	X	X	X	X	X

SOCKWAF1	SOCKWAS1	SOCKWOCW1	SOCKWOD1	SOCKWOPN1	SOCKWPA1	SOCKWWA1	SOCKWWE1	90 x 90 x 10,5
SOCKWAF2	SOCKWAS2	SOCKWOCW2	SOCKWOD2	SOCKWOPN2	SOCKWPA2	SOCKWWA2	SOCKWWE2	161 x 90 x 10,5
SOCKWAF3	SOCKWAS3	SOCKWOCW3	SOCKWOD3	SOCKWOPN3	SOCKWPA3	SOCKWWA3	SOCKWWE3	232 x 90 x 10,5
On request	X							
On request	X							

MOTIVITY WALL detector

MOTSBB	MOTSFW	MOTSCBM	MOTSCDGL	MOTSCM	MOTSEGM	MOTSEMM	MOTSOWM	90 x 90 x 8
--------	--------	---------	----------	--------	---------	---------	---------	-------------

MOTWAF	MOTWAS	MOTWOCW	MOTWOD	MOTWOPN	MOTWPA	MOTWWA	MOTWWE	90 x 90 x 8
--------	--------	---------	--------	---------	--------	--------	--------	-------------

KNX: KNX_CODE
12-24V DC NOC_CODE
DEMO: DEM_CODE
FRONT: FRO_CODE

		INVISIBLE	DIMENSIONS (MM)	TRIMLESS BOX FOR METAL/CORIAN/WOOD/INVISIBLE BRICK AND CONCRETE WALL	TRIMLESS BOX FOR METAL/CORIAN/WOOD/INVISIBLE PLASTERBOARD WALL	DIMENSIONS (MM)
INVISIBLE switch						
X	1F	X	X	X	X	X
X	2F	X	X	X	X	X
	4F	INTINV4*	79 x 79 x 6	TRIM_SWITCHMCMWINV124_BC	TRIM_SWITCHMCMWINV124_P	178 x 200 x 63
X	8F	X	X	X	X	X

* Matching Trimless box to be ordered separately.

		TRIMLESS BOX WITH INVISIBLE SOCKET BRICK AND CONCRETE WALL	TRIMLESS BOX WITH INVISIBLE SOCKET PLASTERBOARD WALL	DIMENSIONS (MM)
SOCKET invisible				
	1F	TRIM_SOCKETINV1_BC	TRIM_SOCKETINV1_P	165 x 165 x 12,8 (+ depth wall box)
	2F	TRIM_SOCKETINV2_BC	TRIM_SOCKETINV2_P	165 x 240 x 12,8 (+ depth wall box)
X	3F	X	X	X
X	4F	X	X	X
X	5F	X	X	X

KNX: KNX_CODE
12-24V DC NOC_CODE
DEMO: DEM_CODE

		PAINTABLE	WALLPAPER	DIMENSIONS (MM)	TRIMLESS BOX FOR METAL/CORIAN/WOOD/INVISIBLE BRICK AND CONCRETE WALL	TRIMLESS BOX FOR METAL/CORIAN/WOOD/INVISIBLE PLASTERBOARD WALL	DIMENSIONS (MM)
INTENSITY switch							
X	1F	X	X	X	X	X	X
X	2F	X	X	X	X	X	X
	4F	INTP4*	INTWP4*	84 x 84 x 6	TRIM_SOCKET6MMMCW3_BC	TRIM_SOCKET6MMMCW3_P	190 x 415 x 15,5 (+ depth wall box)
X	8F	X	X	X	X	X	X
SOCKET frame 6MM round							
	1F	SOCK6MMRP1*	X	84 x 84 x 6	TRIM_SOCKET6MMMCW1_BC	TRIM_SOCKET6MMMCW1_P	200 x 200 x 15,5 (+ depth wall box)
	2F	SOCK6MMRP2*	X	155 x 84 x 6	TRIM_SOCKET6MMMCW2_BC	TRIM_SOCKET6MMMCW2_P	200 x 320 x 15,5 (+ depth wall box)
	3F	SOCK6MMRP3*	X	226 x 84 x 6	TRIM_SOCKET6MMMCW3_BC	TRIM_SOCKET6MMMCW3_P	190 x 415 x 15,5 (+ depth wall box)
	4F	X	X	X	X	X	X
	5F	X	X	X	X	X	X
SOCKET frame 6MM round							
	1F	SOCK6MMSP1*	X	84 x 84 x 6	TRIM_SOCKET6MMMCW1_BC	TRIM_SOCKET6MMMCW1_P	200 x 200 x 15,5 (+ depth wall box)
	2F	SOCK6MMSP2*	X	155 x 84 x 6	TRIM_SOCKET6MMMCW2_BC	TRIM_SOCKET6MMMCW2_P	200 x 320 x 15,5 (+ depth wall box)
	3F	SOCK6MMSP3*	X	226 x 84 x 6	TRIM_SOCKET6MMMCW3_BC	TRIM_SOCKET6MMMCW3_P	190 x 415 x 15,5 (+ depth wall box)
	4F	X	X	X	X	X	X
	5F	X	X	X	X	X	X

* Matching Trimless box to be ordered separately.

KNX: KNX_CODE
 12-24V DC: NOC_CODE
 DEMO: DEM_CODE
 FRONT: FRO_CODE

ELECTRONICS INTEGRATED	WALLBOX INTEGRATED WITH GAP	DIMENSIONS (MM)
------------------------	-----------------------------	-----------------

INTENSITY integrated switch with gap

	1F	INTINT1	TRIM_INTINT124_WG	125 x 125 x 14 (+ depth wall box + finish)
	2F	INTINT2	TRIM_INTINT124_WG	125 x 125 x 14 (+ depth wall box + finish)
	4F	INTINT4	TRIM_INTINT124_WG	125 x 125 x 14 (+ depth wall box + finish)
	4F	INTINVINT4	TRIM_INTINVINT4_WG	125 x 125 x 11 (+ depth wall box + finish)

SOCKET integrated with gap

	1F	X	TRIM_SOCKET124_WG	125 x 125 x 12 (+ depth wall box + finish)
	2F	X	TRIM_SOCKET124_WG	125 x 125 x 12 (+ depth wall box + finish)
	Shaver Socket	X	TRIM_SOCKETSH1_WG	125 x 125 x 13,5 (+ depth wall box + finish)
	RJ45 Socket	X	TRIM_SOCKETRJ45_WG	125 x 125 x 13,5 (+ depth wall box + finish)

KNX: KNX_CODE
 12-24V DC: NOC_CODE
 DEMO: DEM_CODE

ELECTRONICS INTEGRATED	WALLBOX INTEGRATED NO GAP	DIMENSIONS (MM)
------------------------	---------------------------	-----------------

INTENSITY integrated switch no gap

	1F Intensity	INTINT1	TRIM_INTINT124_NG	125 x 125 x 22,9 (+ depth wall box + finish)
	2F Intensity	INTINT2	TRIM_INTINT124_NG	125 x 125 x 22,9 (+ depth wall box + finish)
	4F Intensity	INTINT4	TRIM_INTINT124_NG	125 x 125 x 22,9 (+ depth wall box + finish)

SOCKET integrated no gap

	1F Socket	X	TRIM_SOCKET124_NG	125 x 125 x 21 (+ depth wall box + finish)
	2F Socket	X	TRIM_SOCKET124_NG	125 x 180 x 21 (+ depth wall box + finish)
	Shaver socket	X	X	X
	RJ45 Socket	X	X	X

CODE

Glue Kit Backbox*	INTINT_GLUKIT
Glueing Pistol**	INTINT_GLUPISTOL

* Can be used to glue several pieces
 ** Reusable

KNX: KNX_CODE
 12-24V DC: NOC_CODE
 DEMO: DEM_CODE
 FRONT: FRO_CODE

BLACK	WHITE	DIMENSIONS (MM)
-------	-------	-----------------

TRIMLESS BOX FOR BRICK & CONCRETE WALL/CEILING	TRIMLESS BOX FOR PLASTERBOARD WALL/CEILING	DIMENSIONS (MM)
------------------------------------------------	--------------------------------------------	-----------------

MOTIVITY detector

CEILING	PIR	MOTIB	MOTIW	ø 17,5 x 89
LINE	PIR	MOTLIB	MOTLIW	32 x 12 x 89
PLUS*	PIR	MOTPLUS_B	MOTPLUS_W	ø 73 x 30
ANGLE	BRACKET	MOTPLUS_ANGLE_B	MOTPLUS_ANGLE_W	ø 73 x 62,3
SAPP	PIR + BRACKET	MOTSIB	MOTSIW	19 x 44 x 41,5
PLASTERBOARD	PIR + BRACKET	MOTPBIB	MOTPBIW	18 x 18 x 54,6

X	X	X
X	X	X
TRIM_MOTPLUS_BC	TRIM_MOTPLUS_P	200 x 200 x 36
X	X	X
X	X	X
X	X	X

* Matching Trimless box to be ordered separately in case 100% recessed is requested.

DEMO DEM_CODE

	ALU, ALU BLACK, ALU WHITE, BRONZE	CHROME, FORGED ALU, STAINLESS STEEL, FORGED STAINLESS STEEL	FORGED ALU DARK GREY, FORGED ALU BLACK, LANDSCAPE ALU DARK GREY	DIMENSIONS (mm)	BRONZE LIGHT, FORGED BRONZE LIGHT, FORGED BRONZE FORGED STEEL BRUSHED COPPER ROSE, FORGED COPPER ROSE, BRUSHED GOLD, FORGED GOLD	DIMENSIONS (mm)
DEMONSTRATION TOOLS	INTMIX4_C	INTMIX4_D	INTMIX4_E	84 x 84 x 6	INTMIX8_H	165 x 84 x 6

CODE	DIMENSIONS (MM)
------	-----------------

ELECTRICAL BOX SWITCH & SOCKET COMBO	BCU_EBSS02	158 x 73 x 45,5
ELECTRICAL BOX SWITCH & MOTIVITY COMBO	BCU_EBSM02	158 x 73 x 45,5
ELECTRICAL BOX SWITCH & 2F SOCKET COMBO	BCU_EBSS03	158 x 73 x 45,5

TRIMLESS BOX FOR METAL/CORIAN/WOOD/INVISIBLE BRICK AND CONCRETE WALL	TRIMLESS BOX FOR METAL/CORIAN/WOOD/INVISIBLE PLASTERBOARD WALL	TRIMLESS BOX FOR GLASS/STONE BRICK AND CONCRETE WALL	TRIMLESS BOX FOR GLASS/STONE PLASTERBOARD WALL	DIMENSIONS (mm)
----------------------------------------------------------------------	----------------------------------------------------------------	------------------------------------------------------	------------------------------------------------	-----------------

INTENSITY switch						
	1F	TRIM_SWITCHMCWINV124_BC	TRIM_SWITCHMCWINV124_P	TRIM_SWITCHGS124_BC	TRIM_SWITCHGS124_P	178 x 200 x 63
	2F	TRIM_SWITCHMCWINV124_BC	TRIM_SWITCHMCWINV124_P	TRIM_SWITCHGS124_BC	TRIM_SWITCHGS124_P	178 x 200 x 63
	4F	TRIM_SWITCHMCWINV124_BC	TRIM_SWITCHMCWINV124_P	TRIM_SWITCHGS124_BC	TRIM_SWITCHGS124_P	178 x 200 x 63
	8F	TRIM_SWITCHMCW8_BC	TRIM_SWITCHMCW8_P	TRIM_SWITCHGS8_BC	TRIM_SWITCHGS8_P	178 x 320 x 63
	1F	TRIM_SWITCHMCWINV124_BC	TRIM_SWITCHMCWINV124_P	TRIM_SWITCHGS124_BC	TRIM_SWITCHGS124_P	178 x 200 x 63
	2F	TRIM_SWITCHMCWINV124_BC	TRIM_SWITCHMCWINV124_P	TRIM_SWITCHGS124_BC	TRIM_SWITCHGS124_P	178 x 200 x 63
	4F	TRIM_SWITCHMCW8_BC	TRIM_SWITCHMCW8_P	TRIM_SWITCHGS8_BC	TRIM_SWITCHGS8_P	178 x 320 x 63
INFINITY room controller (KNX only)						
	OLED	TRIM_SWITCHMCWINV124_BC	TRIM_SWITCHMCWINV124_P	TRIM_SWITCHGS124_BC	TRIM_SWITCHGS124_P	178 x 200 x 63
	OLED	TRIM_SWITCHMCW8_BC	TRIM_SWITCHMCW8_P	TRIM_SWITCHGS8_BC	TRIM_SWITCHGS8_P	178 x 320 x 63
SOCKET frame 12mm						
	1F	TRIM_SOCKETCW1_BC	TRIM_SOCKETCW1_P	TRIM_SOCKETGS1_BC	TRIM_SOCKETGS1_P	200 x 200 x 20 (+ depth wall box)
	2F	TRIM_SOCKETCW2_BC	TRIM_SOCKETCW2_P	TRIM_SOCKETGS2_BC	TRIM_SOCKETGS2_P	200 x 320 x 20 (+ depth wall box)
	3F	TRIM_SOCKETCW3_BC	TRIM_SOCKETCW3_P	TRIM_SOCKETGS3_BC	TRIM_SOCKETGS3_P	190 x 415 x 20 (+ depth wall box)
	4F	X	X	X	X	X
	5F	X	X	X	X	X
SOCKET frame 6mm round						
	1F	TRIM_SOCKET6MMCW1_BC	TRIM_SOCKET6MMCW1_P	X	X	200 x 200 x 15,5 (+ depth wall box)
	2F	TRIM_SOCKET6MMCW2_BC	TRIM_SOCKET6MMCW2_P	X	X	200 x 320 x 15,5 (+ depth wall box)
	3F	TRIM_SOCKET6MMCW3_BC	TRIM_SOCKET6MMCW3_P	X	X	190 x 415 x 15,5 (+ depth wall box)
	4F	X	X	X	X	X
	5F	X	X	X	X	X
SOCKET frame 6mm square						
	1F	TRIM_SOCKET6MMCW1_BC	TRIM_SOCKET6MMCW1_P	X	X	200 x 200 x 15,5 (+ depth wall box)
	2F	TRIM_SOCKET6MMCW2_BC	TRIM_SOCKET6MMCW2_P	X	X	200 x 320 x 15,5 (+ depth wall box)
	3F	TRIM_SOCKET6MMCW3_BC	TRIM_SOCKET6MMCW3_P	X	X	190 x 415 x 15,5 (+ depth wall box)
	4F	X	X	X	X	X
	5F	X	X	X	X	X
MOTIVITY WALL detector		TRIM_SWITCHMCWINV124_BC	TRIM_SWITCHMCWINV124_P	TRIM_SWITCHGS124_BC	TRIM_SWITCHGS124_P	187,5 x 221 x 50,5
MOTIVITY PLUS detector		TRIM_MOTPLUS_BC	TRIM_MOTPLUS_P	X	X	200 x 200 x 36



Tense BV

Berg 7 - 8980 Beselare - Belgium

+32 (0)50 94 69 69

info@tense.be - www.tense.be

© 2022 Tense BV